



Well documented uses of radiofrequency ablation (RFA) include treatment of cancers of the liver, kidney, prostate, breast, lung and skin as well as cardiac arrhythmias, neurologic and spinal conditions.

[1] Zhang CS, Zhang JL, Li XH, Li L, Li X, Zhou XY. Is radiofrequency ablation equal to surgical re-resection for recurrent hepatocellular carcinoma meeting the Milan criteria? A meta-analysis. *J BUON*. 2015;20(1):223–30.

[2] Wagstaff P, Ingels A, Zondervan P, de la Rosette JJ, Laguna MP. Thermal ablation in renal cell carcinoma management: a comprehensive review. *Curr Opin Urol*. 2014;24(5):474–82.

[3] Marien A, Gill I, Ukimura O, Betrouni N, Villers A. Target ablation—image-guided therapy in prostate cancer. *Urol Oncol*. 2014;32(6):912–23.

[4] Rubio IT, Landolfi S, Molla M, Cortes J, Xercavins J. Breast-conservative surgery followed by radiofrequency ablation of margins decreases the need for a second surgical procedure for close or positive margins. *Clin Breast Cancer*. 2014;14(15):346–51.

[5] Kodama H, Yamakado K, Hasegawa T, Takao M, Taguchi O, Fukai I, et al. Radiofrequency ablation for ground-glass opacity-dominant lung adenocarcinoma. *J VascIntervent Radiol*. 2014;25(3):333–9.

[6] Almeida JP, Drezek RA, Foster AE. Controlling melanoma at local and systemic levels: is a combination of ablative therapy and immunotherapy the way forward? *Immunotherapy*. 2014;6(2):109–11.

[7] Theodoreson MD, Chohan BC, McAloon CJ, Sandhu A, Lancaster CJ, Yusuf S, et al. Same-day cardiac catheter ablation is safe and cost-effective: experience from a UK tertiary centre. *Heart Rhythm*. 2015 May 8 DOI: 10.1016/j.hrthm.2015.05.006. Accessed November 15, 2015.

[8] Strickland BA, Jimenez-Shahed J, Jankovic J, Viswanathan A. Radiofrequency lesioning through deep grain stimulation electrodes: a pilot study of lesion geometry and temperature characteristics. *J Clin Neurosci*. 2013;20(12):1709–12.

[9] Eckmann MS, Martinez MA, Lindauer S, Khan A, Ramamurthy S. Radiofrequency ablation near the bone-muscle interface alters soft tissue lesion dimensions. *Reg Anesth Pain Med*. 2015;40(3):270–5